RADICAL®



# CATALOGUE FOR
# ALL YOUR RUBBER SOLUTION
# (2018-19)


## Radical Scientific Equipment Pvt. Ltd.

9th Milestone, Ambala Jagadhari Road, Khudda Kallan, Ambala Cantt -133104
E-mail: exports@radicalscientific.com, Website: www.radicalscientific.com
Ph. +91- 0171-2600801 (30 lines) Fax: 0171-2891503

## 1. NATURAL RUBBER TUBING – GRADE 1



The tubing is suitable for laboratory, pharmaceutical, industrial and educational purposes.
Comes in orange colour.
Shore hardness : 45A
Tolerance : ±0.2 MM
Temp. : -20°C to +70°C

| Code | Inner Diameter (ID in MM) | Wall Thickness (W in MM) | Outer Diameter (OD in MM) |
|---|---|---|---|
| RRS-101-05 | 3 | 1 | 5 |
| RRS-101-06 | 4 | 1 | 6 |
| RRS-101-08 | 5 | 1.5 | 8 |
| RRS-101-09 | 6 | 1.5 | 9 |
| RRS-101-95 | 6.5 | 1.5 | 9.5 |
| RRS-101-10 | 7 | 1.5 | 10 |
| RRS-101-12 | 8 | 2 | 12 |
| RRS-101-13 | 9 | 2 | 13 |
| RRS-101-14 | 10 | 2 | 14 |
| RRS-101-16 | 12 | 2 | 16 |
| RRS-101-21 | 15 | 3 | 21 |
| RRS-101-22 | 16 | 3 | 22 |
| RRS-101-25 | 19 | 3 | 25 |
| RRS-101-27 | 20 | 3.5 | 27 |
| RRS-101-32 | 25 | 3.5 | 32 |

## GRADE 2



The tubing is suitable for laboratory, pharmaceutical, industrial and educational purposes.
Comes in maroon colour.
Shore hardness : 45A
Tolerance : ±0.2 MM
Temp. : -20°C to +70°C

| Code | Inner Diameter (ID in MM) | Wall Thickness (W in MM) | Outer Diameter (OD in MM) |
|---|---|---|---|
| RRS-102-05 | 3 | 1 | 5 |
| RRS-102-06 | 4 | 1 | 6 |
| RRS-102-08 | 5 | 1.5 | 8 |
| RRS-102-09 | 6 | 1.5 | 9 |
| RRS-102-10 | 7 | 1.5 | 10 |
| RRS-102-11 | 8 | 2 | 11 |
| RRS-102-13 | 9 | 2 | 13 |
| RRS-102-14 | 10 | 2 | 14 |
| RRS-102-16 | 12 | 2 | 16 |
| RRS-102-21 | 15 | 3 | 21 |
| RRS-102-22 | 16 | 3 | 22 |
| RRS-102-25 | 19 | 3 | 25 |
| RRS-102-27 | 20 | 3.5 | 27 |
| RRS-102-32 | 25 | 3.5 | 32 |



## GRADE : 3

The tubing is suitable for laboratory, pharmaceutical, industrial and educational purposes.
Comes in Red colour.
Shore hardness : 45A
Tolerance : ±0.2 MM
Temp. : -20°C to +70°C

| Code | Inner Diameter (ID in MM) | Wall Thickness (W in MM) | Outer Diameter (OD in MM) |
|---|---|---|---|
| RRS-103-05 | 3 | 1 | 5 |
| RRS-103-06 | 4 | 1 | 6 |
| RRS-103-08 | 5 | 1.5 | 8 |
| RRS-103-09 | 6 | 1.5 | 9 |
| RRS-103-10 | 7 | 1.5 | 10 |
| RRS-103-11 | 8 | 1.5 | 11 |
| RRS-103-13 | 9 | 2 | 13 |
| RRS-103-14 | 10 | 2 | 14 |
| RRS-103-16 | 12 | 2 | 16 |

## PRESSURE RUBBER TUBING :

Made of Natural Rubber it is resistant to light alkalia. The tubing is suitable for laboratory, pharmaceutical, industrial and educational purpose.
Shore hardness : 50-55A
Tolerance : ±0.2 MM
Temp. : -20°C to +70°C



| Code | Inner Diameter (ID in MM) | Wall Thickness (W in MM) | Outer Diameter (OD in MM) |
|---|---|---|---|
| RRS-104-09 | 3 | 3 | 9 |
| RRS-104-11 | 5 | 3 | 11 |
| RRS-104-12 | 6 | 3 | 12 |
| RRS-104-14 | 8 | 3 | 14 |
| RRS-104-15 | 9 | 3 | 15 |
| RRS-104-18 | 10 | 4 | 18 |
| RRS-104-20 | 12 | 4 | 20 |

*****Available in 10 meter coils***

## HIGH PRESSURE TUBING :

Made of Natural Rubber. It is resistant to light acids, light alkalis. The tubing is suitable for laboratory, pharmaceutical, industrial and educational purposes.
Shore hardness : 50-55A
Tolerance : ±0.2 MM
Temp. : -20°C to +70°C

| Code | Inner Diameter (ID in MM) | Wall Thickness (W in MM) | Outer Diameter (OD in MM) |
|---|---|---|---|
| RRS-105-13 | 3 | 5 | 13 |
| RRS-105-15 | 5 | 5 | 15 |
| RRS-105-16 | 6 | 5 | 16 |
| RRS-105-18 | 8 | 5 | 18 |
| RRS-105-19 | 9 | 5 | 19 |
| RRS-105-22 | 10 | 6 | 22 |
| RRS-105-24 | 12 | 6 | 24 |

*****Available in 10 meter coils***

## PRESSURE TUBING GREEN :



| Code | Inner Diameter (ID in MM) | Wall Thickness (W in MM) | Outer Diameter (OD in MM) |
|---|---|---|---|
| RRS-106-32 | 6.4 | 3.2 | 12.8 |

## BLOOD PRESSURE TUBE IN GREEN SUPERIOR :

| Code | Inner Diameter (ID in MM) | Wall Thickness (W in MM) | Outer Diameter (OD in MM) |
|---|---|---|---|
| RRS-106-32 | 6.4 | 3.2 | 12.8 |

## 2. SILICON RUBBER TUBING



It is suitable for laboratory, pharmaceutical, industrial, educational, medical, food grade etc usage.
Silicon rubber tubing is suitable for use over a temperature range of -50°C to 250°C.
Meets **USP VI Standards** and **FDA 21 CFR 177.2600** compliant Shore Hardness : 45A

| Code | Inner Diameter (ID in MM) | Wall Thickness (W in MM) | Outer Diameter (OD in MM) |
|---|---|---|---|
| RRS-201-04 | 2 | 1 | 4 |
| RRS-201-05 | 3 | 1 | 5 |
| RRS-201-06 | 3 | 1.5 | 6 |
| RRS-201-07 | 4 | 1 | 6 |
| RRS-201-08 | 4 | 1.5 | 7 |
| RRS-201-09 | 4 | 2 | 8 |
| RRS-201-10 | 5 | 1 | 7 |
| RRS-201-11 | 5 | 1.5 | 8 |
| RRS-201-12 | 6 | 1 | 8 |
| RRS-201-13 | 6 | 1.5 | 9 |
| RRS-201-14 | 6 | 2 | 10 |
| RRS-201-15 | 6 | 3 | 12 |
| RRS-201-16 | 7 | 1.5 | 10 |
| RRS-201-17 | 7 | 2 | 11 |
| RRS-201-18 | 8 | 1.5 | 11 |
| RRS-201-19 | 8 | 2 | 12 |
| RRS-201-20 | 8 | 3 | 14 |
| RRS-201-21 | 9 | 2 | 13 |
| RRS-201-22 | 10 | 2 | 14 |
| RRS-201-23 | 10 | 3 | 16 |
| RRS-201-24 | 12 | 2 | 16 |
| RRS-201-25 | 12 | 3.5 | 19 |
| RRS-201-26 | 14 | 3 | 20 |
| RRS-201-27 | 15 | 4 | 23 |
| RRS-201-28 | 16 | 3 | 22 |
| RRS-201-29 | 25 | 4 | 33 |

*****Available in 10 meter coils***

## SILICON PLATINUM CURED TUBING



| Code | Inner Diameter (ID in MM) | Wall Thickness (W in MM) | Outer Diameter (OD in MM) |
|---|---|---|---|
| RRS-202-06 | 3 | 1.5 | 6 |
| RRS-202-07 | 4 | 1.5 | 7 |
| RRS-202-08 | 5 | 1.5 | 8 |
| RRS-202-09 | 6 | 1.5 | 9 |
| RRS-202-10 | 6 | 2 | 10 |
| RRS-202-11 | 7 | 1.5 | 10 |
| RRS-202-12 | 7 | 2 | 11 |
| RRS-202-13 | 8 | 1.5 | 11 |
| RRS-202-14 | 8 | 2 | 12 |
| RRS-202-15 | 9 | 2 | 13 |
| RRS-202-16 | 10 | 2 | 14 |
| RRS-202-17 | 12 | 2 | 16 |

*****Available in 10 meter coils***

## 3. SYNTHETIC RUBBER TUBING

We also offer rubber tubing in various synthetic rubbers.



| Code | Inner Diameter (ID in MM) | Wall Thickness (W in MM) | Outer Diameter (OD in MM) |
|---|---|---|---|
| RRS-301-06 | 4 | 1 | 6 |
| RRS-301-08 | 5 | 1.5 | 8 |
| RRS-301-09 | 6 | 1.5 | 9 |
| RRS-301-10 | 7 | 1.5 | 10 |
| RRS-301-12 | 8 | 2 | 12 |
| RRS-301-13 | 9 | 2 | 13 |
| RRS-301-14 | 10 | 2 | 14 |
| RRS-301-16 | 12 | 2 | 16 |

*****Available in 10 meter coils***

## NITRILE RUBBER TUBING



| Code | Inner Diameter (ID in MM) | Wall Thickness (W in MM) | Outer Diameter (OD in MM) |
|---|---|---|---|
| RRS-302-06 | 4 | 1 | 6 |
| RRS-302-08 | 5 | 1.5 | 8 |
| RRS-302-09 | 6 | 1.5 | 9 |
| RRS-302-10 | 7 | 1.5 | 10 |
| RRS-302-12 | 8 | 2 | 12 |
| RRS-302-13 | 9 | 2 | 13 |
| RRS-302-14 | 10 | 2 | 14 |
| RRS-302-16 | 12 | 2 | 16 |

*****Available in 10 meter coils***

## VITON RUBBER TUBING



| Code | Inner Diameter (ID in MM) | Wall Thickness (W in MM) | Outer Diameter (OD in MM) |
|---|---|---|---|
| RRS-303-06 | 4 | 1 | 6 |
| RRS-303-08 | 5 | 1.5 | 8 |
| RRS-303-09 | 6 | 1.5 | 9 |
| RRS-303-10 | 7 | 1.5 | 10 |
| RRS-303-12 | 8 | 2 | 12 |
| RRS-303-13 | 9 | 2 | 13 |
| RRS-303-14 | 10 | 2 | 14 |
| RRS-303-16 | 12 | 2 | 16 |

*****Available in 10 meter coils***

CORKS / STOPPERS

## 4. CORKS / STOPPERS



Various sizes are specially designed according to the industrial and laboratory glassware requirements.
Shore hardness is 45-50A

### NATURAL RUBBER SOLID CORKS:

**RANGE 1** (available in Maroon colour only)

| Code | Cork Number | Bottom (in MM ±.2 MM) | Top (in MM ±.2 MM) | Height (in MM ±.2 MM) |
|---|---|---|---|---|
| RRS-401-000 | 000 | 6 | 9 | 16 |
| RRS-401-00 | 00 | 8 | 10.5 | 20 |
| RRS-401-0 | 0 | 9 | 13 | 15.5 |
| RRS-401-01 | 1 | 11 | 14 | 18.5 |
| RRS-401-02 | 2 | 13 | 16.5 | 20 |
| RRS-401-03 | 3 | 14 | 19 | 21 |
| RRS-401-04 | 4 | 15 | 21 | 22 |
| RRS-401-05 | 5 | 17.5 | 22.5 | 23 |
| RRS-401-06 | 6 | 20 | 24.5 | 24 |
| RRS-401-07 | 7 | 20 | 26 | 27.5 |
| RRS-401-08 | 8 | 21 | 26.5 | 27.5 |
| RRS-401-09 | 9 | 21.5 | 28 | 31 |
| RRS-401-10 | 10 | 26 | 30 | 33 |
| RRS-401-11 | 11 | 29 | 33 | 32 |
| RRS-401-12 | 12 | 30 | 34.5 | 34.5 |
| RRS-401-13 | 13 | 31 | 38.5 | 37 |
| RRS-401-14 | 14 | 32 | 41.5 | 45.5 |
| RRS-401-15 | 15 | 38 | 42 | 40.5 |
| RRS-401-16 | 16 | 35 | 45 | 36.5 |
| RRS-401-17 | 17 | 40 | 49.5 | 40.5 |
| RRS-401-18 | 18 | 48 | 53.5 | 33.5 |
| RRS-401-19 | 19 | 44 | 58 | 45 |
| RRS-401-20 | 20 | 51 | 60 | 56.5 |
| RRS-401-22 | 22 | 50 | 65 | 41 |
| RRS-401-23 | 23 | 59 | 72 | 42 |

*Available in **Pack of 100** from Code No**. 000 to 12.**
*Available in **Pack of 25** from Code No. **13 to 23.**

## SILICON RUBBER CORK : FOR FILTRATION FLASK

| Code | Size |
|---|---|
| RSP-406-01 | Small |
| RSP-406-02 | Big |



## NATURAL RUBBER SOLID CORKS:

**RANGE 2** (available in Orange colour only)



| Code | Cork Number | Bottom (in MM ±.2 MM) | Top (in MM ±.2 MM) | Height (in MM ±.2 MM) |
|---|---|---|---|---|
| RRS-402-05 | 5 | 5 | 7 | 16 |
| RRS-402-08 | 8 | 8 | 10.5 | 20 |
| RRS-402-09 | 9 | 9 | 11.5 | 20 |
| RRS-402-10 | 10 | 10 | 12.5 | 20 |
| RRS-402-11 | 11 | 11 | 14 | 24 |
| RRS-402-13 | 13 | 13 | 16 | 24 |
| RRS-402-15 | 15 | 15 | 18 | 24 |
| RRS-402-17 | 17 | 17 | 20.5 | 26 |
| RRS-402-18 | 18 | 18 | 21 | 26 |
| RRS-402-19 | 19 | 19 | 22.5 | 28 |
| RRS-402-21 | 21 | 21 | 24.5 | 28 |
| RRS-402-23 | 23 | 23 | 26.5 | 28 |
| RRS-402-25 | 25 | 25 | 28.5 | 28 |
| RRS-402-27 | 27 | 27 | 31 | 32 |
| RRS-402-29 | 29 | 29 | 33 | 32 |
| RRS-402-31 | 31 | 31 | 36 | 35 |
| RRS-402-33 | 33 | 33 | 38.5 | 38.5 |
| RRS-402-35 | 35 | 35 | 45.5 | 36.5 |
| RRS-402-38 | 38 | 38 | 42.5 | 40.5 |
| RRS-402-40 | 40 | 40 | 49.5 | 40.5 |

*****Available in Pack of 10***

## SILICON RUBBER CORKS
## NEOPRENE RUBBER CORKS





| Code for (SILICON) | Cork Number | Bottom (in MM ±.2 MM) | Top (in MM ±.2 MM) | Height (in MM ±.2 MM) | Code for (NEOPRENE) |
|---|---|---|---|---|---|
| RRS-403-05 | 5 | 5 | - | - | RRS-404-05 |
| RRS-403-08 | 8 | 8 | 10.5 | 20 | RRS-404-08 |
| RRS-403-09 | 9 | 9 | 11.5 | 20 | RRS-404-09 |
| RRS-403-10 | 10 | 10 | 12.5 | 20 | RRS-404-10 |
| RRS-403-11 | 11 | 11 | 14 | 24 | RRS-404-11 |
| RRS-403-13 | 13 | 13 | 16 | 24 | RRS-404-13 |
| RRS-403-15 | 15 | 15 | 18 | 24 | RRS-404-15 |
| RRS-403-17 | 17 | 17 | 20.5 | 26 | RRS-404-17 |
| RRS-403-18 | 18 | 18 | 21 | 26 | RRS-404-18 |
| RRS-403-19 | 19 | 19 | 22.5 | 28 | RRS-404-19 |
| RRS-403-21 | 21 | 21 | 24.5 | 28 | RRS-404-21 |
| RRS-403-23 | 23 | 23 | 26.5 | 28 | RRS-404-23 |
| RRS-403-25 | 25 | 25 | 28.5 | 28 | RRS-404-25 |
| RRS-403-27 | 27 | 27 | 31 | 32 | RRS-404-27 |
| RRS-403-29 | 29 | 29 | 33 | 32 | RRS-404-29 |
| RRS-403-31 | 31 | 31 | 36 | 35 | RRS-404-31 |
| RRS-403-33 | 33 | 33 | 38.5 | 38.5 | RRS-404-33 |
| RRS-403-35 | 35 | 35 | 45.5 | 36.5 | RRS-404-35 |
| RRS-403-38 | 38 | 38 | 42.5 | 40.5 | RRS-404-38 |
| RRS-403-40 | 40 | 40 | 49.5 | 40.5 | RRS-404-40 |

*****Available in Pack of 10***

## ASSORTED RUBBER CORKS : IN NATURAL RUBBER ONLY



| Code | Pack Size | Corks Specifications |
|---|---|---|
| RRS-405-01 | Pack of 50 Pcs. Solid<br>(RANGE 2 Corks) | 7 Pcs. Each Size Bottom – 8,9,11,13,15<br>3 Pcs. Each Size Bottom – 17,21,23,25,29 |
| RRS-405-02 | Pack of 50 Pcs. One Hole<br>(RANGE 2 Corks) | 7 Pcs. Each Size Bottom – 8,9,11,13,15<br>3 Pcs. Each Size Bottom – 17,21,23,25,29 |
| RRS-405-03 | Pack of 50 Pcs. Two Hole<br>(RANGE 2 Corks) | 10 Pcs. Each Size Bottom – 13,15,17,18<br>3 Pcs. Each Size Bottom – 21,23<br>2 Pcs. Each Size Bottom – 25,29 |
| RRS-405-04 | Pack of 58 Pcs. Solid<br>(RANGE 2 Corks) | 8 Pcs. Each Size Bottom – 8,9,11,13,15,17<br>3 Pcs. Each Size Bottom – 21,23<br>2 Pcs. Each Size Bottom – 25,29 |
| RRS-405-05 | Pack of 67 Pcs. Solid<br>(RANGE 2 Corks) | 9 Pcs. Each Size Bottom – 8,9,11,13,15,17<br>4 Pcs. Each Size Bottom – 21,23<br>2 Pcs. Each Size Bottom – 25,29<br>One Pc any Size Small |
| RRS-405-06 | Pack of 50 Pcs. Solid<br>(RANGE 1 Corks) | 7 Pcs. Each Size – 0,1,2,3,4<br>3 Pcs. Each Size – 5,7,9,10,11 |
| RRS-405-07 | Pack of 50 Pcs. One Hole<br>(RANGE 1 Corks) | 7 Pcs. Each Size – 0,1,2,3,4<br>3 Pcs. Each Size – 5,7,9,10,11 |
| RRS-405-08 | Pack of 50 Pcs. Two Hole<br>(RANGE 1 Corks) | 10 Pcs. Each Size – 2,3,4,5<br>3 Pcs. Each Size – 7,9<br>2 Pcs. Each Size – 10,11 |
| RRS-405-09 | Pack of 58 Pcs. Solid<br>(RANGE 1 Corks) | 8 Pcs. Each Size – 000,0,1,2,3,4<br>3 Pcs. Each Size – 7,9<br>2 Pcs. Each Size – 10,11 |
| RRS-405-10 | Pack of 67 Pcs. Solid<br>(RANGE 1 Corks) | 9 Pcs. Each Size – 000,0,1,2,3,4<br>4 Pcs. Each Size – 7,9<br>2 Pcs. Each Size – 10,11<br>One Pc any Size Small |

CONES & TURNOVER FLANGE SEPTA

## 5. CRUCIBLE SLEEVES

For glass filtering flasks. Enables a clean & firm seal between funnels, vacuum filters, etc and the flask.

| Size | Bottom (in MM) | Top (in MM) | Height (in MM) | Wall Thickness (in MM) |
|---|---|---|---|---|
| 1 | 11 | 22 | 20 | 2.5 |
| 2 | 22.5 | 28 | 20 | 2.5 |
| 3 | 23.5 | 36.5 | 25 | 3 |
| 4 | 28 | 46 | 30.5 | 3 |
| 5 | 38 | 56 | 35 | 3.5 |
| 6 | 47 | 68 | 41 | 4 |
| 7 | 57 | 81 | 43.5 | 5 |



| Code | Rubber Type |
|---|---|
| RRS-501-01 | Natural Rubber |
| RRS-501-02 | Silicone Rubber |

***Available in set of 7 pcs only.**

## 6. FILTERATION RUBBER CONES



Glass to glass contact. Used on many filtering apparatus, flask , buchner funnel etc.

### (a) SILICON RUBBER CONES

| Code | Sizes |
|---|---|
| RRS-601-50 | 250 / 500 ml |
| RRS-601-00 | 1 / 2 Litre |
| RRS-601-000 | 5 Litre |
| RRS-601-0000 | 10 Litre |

### (b) NATURAL RUBBER CONES

| Code | Sizes |
|---|---|
| RRS-602-50 | 250 / 500 ml |
| RRS-602-00 | 1 / 2 Litre |
| RRS-602-000 | 5 Litre |
| RRS-602-0000 | 10 Litre |

***Available in Pack of 25**

## 7. TURNOVER FLANGE SEPTA

These septa are ideal for moisture or air sensitive applications. When pierced with a needle, they have excellent re-sealing capability.



### (a) FOR TEST TUBE : NON – SERRATED IN NATURAL RUBBER

| Code | Sizes |
|---|---|
| RRS-701-12 | 12 mm |
| RRS-701-15 | 15 mm |
| RRS-701-18 | 18 mm |
| RRS-701-25 | 25 mm |

### (b) FOR TEST TUBE : SERRATED IN NATUTAL RUBBER

| Code | Sizes |
|---|---|
| RRS-702-12 | 12 mm |
| RRS-702-15 | 15 mm |
| RRS-702-18 | 18 mm |
| RRS-702-25 | 25 mm |

### (c) FOR TEST TUBE : NON - SERRATED IN SILICON RUBBER

| Code | Sizes |
|---|---|
| RRS-703-12 | 12 mm |
| RRS-703-15 | 15 mm |
| RRS-703-18 | 18 mm |
| RRS-703-25 | 25 mm |

### (d) FOR TEST TUBE : SERRATED IN SILICON RUBBER

| Code | Sizes |
|---|---|
| RRS-704-12 | 12 mm |
| RRS-704-15 | 15 mm |
| RRS-704-18 | 18 mm |
| RRS-704-25 | 25 mm |

***Available in Pack of 10*

## TURNOVER FLANGE SEPTA



### (a) FOR SOCKET : NON – SERRATED IN NATURAL RUBBER

| Code | Sizes |
|---|---|
| RRS-705-14 | B – 14 |
| RRS-705-19 | B – 19 |
| RRS-705-24 | B – 24 |
| RRS-705-29 | B - 29 |

### (b) FOR SOCKET : SERRATED IN NATUTAL RUBBER

| Code | Sizes |
|---|---|
| RRS-706-14 | B – 14 |
| RRS-706-19 | B – 19 |
| RRS-706-24 | B – 24 |
| RRS-706-29 | B - 29 |

### (c) FOR SOCKET : NON - SERRATED IN SILICON RUBBER

| Code | Sizes |
|---|---|
| RRS-707-14 | B – 14 |
| RRS-707-19 | B – 19 |
| RRS-707-24 | B – 24 |
| RRS-707-29 | B - 29 |

### (d) FOR SOCKET : SERRATED IN SILICON RUBBER

| Code | Sizes |
|---|---|
| RRS-708-14 | B – 14 |
| RRS-708-19 | B – 19 |
| RRS-708-24 | B – 24 |
| RRS-708-29 | B - 29 |

***Available in Pack of 10*

## 8. PIPETTE BULBS



Rubber pipette bulb allows safe, manual control of filling or discharging toxic liquids through a pipette by finger pressure (thus avoiding mouth contact).

### (a) SILICON RUBBER

| Code | Size | Capacity (ml) |
|---|---|---|
| RRS-801-05 | Small | 5 |
| RRS-801-10 | Medium | 10 |
| RRS-801-15 | Large | 15 |
| RRS-801-20 | Extra Large | 20 |
| RRS-801-25 | Oval | 25 |
| RRS-801-50 | Super Large | 50 |
| RRS-801-100 | Extra Super large | 100 |

*Small, Medium & Large available in Pack of 100.
*Extra Large, Oval, Super Large & Extra Super Large available in Pack of 50.

### (b) NATURAL RUBBER

| Code | Size | Capacity (ml) |
|---|---|---|
| RRS-802-05 | Small | 5 |
| RRS-802-10 | Medium | 10 |
| RRS-802-15 | Large | 15 |
| RRS-802-20 | Extra Large | 20 |
| RRS-802-25 | Oval | 25 |
| RRS-802-50 | Super Large | 50 |
| RRS-802-100 | Extra Super large | 100 |

*Small, Medium & Large available in Pack of 100.
*Extra Large, Oval, Super Large & Extra Super Large available in Pack of 50.

## 9. RUBBER BELLOW WITH COTTON NET

For use with automatic burettes.



| Code |
|---|
| RRS-901-01 |

## 10. ATOMIZER BULB

Typically, an atomizer is used to dispense something in small, controlled amounts.

| Code |
|---|
| RRS-1001-01 |



## 11. TEATS

Teats are used in laboratory with droppers for dispensing drops or qualitative amounts of liquids or chemicals.



| Code | Type | Rubber Type | Capacity (ml) |
|---|---|---|---|
| RRS-1101-01 | Conical | Silicon Rubber | 1 |
| RRS-1101-02 | Conical | Silicon Rubber | 2-3 |
| RRS-1101-03 | Conical | Natural Rubber | 1 |
| RRS-1101-04 | Conical | Natural Rubber | 2-3 |
| RRS-1101-05 | Round | Natural Rubber | 1 |
| RRS-1101-06 | Round | Latex Rubber | Small |
| RRS-1101-07 | Round | Latex Rubber | Large |

- 1 ml Teat available in Pack of 100
- 2-3 Teat available in Pack of 50

## 12. PIPETTE FILLER

These bulb type pipette fillers are designed for one hand operation. Pipette fillers improve worker safety by eliminating mouth pipetting and handling of hazardous materials.
Users can control air evacuation, liquid uptake and liquid dispensing with three valves containing chemically resistant stainless steel balls. Pinching or releasing valves provides smooth liquid flow. Fits standard size pipets.
Pipette filler with 3 valves:
Valve A : Release air / S : Filling / E : Delivery
**Size : 50 ml (Available in Pack of 25)**



| Code | Rubber Type |
|---|---|
| RRS-1201-01 | Silicon Rubber |
| RRS-1201-02 | Natural Rubber |

## 13. SAFETY BURNER TUBE

For use with Bunsen Burners. It is available in Natural Rubber and Neoprene Rubber. The burner tube has reinforced ends for better grip.

### (a) NATURAL RUBBER

| Code | Sizes |
|---|---|
| RRS-1301-450 | 450 mm |
| RRS-1301-600 | 600 mm |
| RRS-1301-900 | 900 mm |
| RRS-1301-1000 | 1000 mm |



### (b) NEOPRENE RUBBER

| Code | Sizes |
|---|---|
| RRS-1302-450 | 450 mm |
| RRS-1302-600 | 600 mm |
| RRS-1302-900 | 900 mm |
| RRS-1302-1000 | 1000 mm |



## 14. HAND PROTECTOR



Helps maintain a secure grip on hot, cold or slippery items such as bottles, glasses and beakers etc.
Temperature Range : -50°C to +250°C

| Code | Rubber Type |
|---|---|
| RRS-1401-01 | Silicon Rubber |

## 15. FLASK STAND

With 12-step inner wall for good stability. Suitable for round bottom flask, flat bottom flask, beakers etc.
Temperature Range : -50°C to +250°C




| Code | Rubber Type |
|---|---|
| RRS-1501-01 | Silicon Rubber |

## 16. LABORATORY MAT




| Code | Dimension | Rubber Type |
|---|---|---|
| RRS-1601-01 | 12” x 12” | Natural Rubber |
| RRS-1601-02 | 12” x 12” | Silicone Rubber |

## 17. SHEET



| Code | Dimension | Rubber Type |
|---|---|---|
| RRS-1701-01 | 9.5” x 9.5” x 2.7 mm | Natural Rubber |
| RRS-1701-02 | 9.5” x 9.5” x 2.7 mm | Silicone Rubber |

## 18. PAD



| Code | Dimension |
|---|---|
| RRS-1801-01 | 72 mm x 50 mm x 13 mm |

**Available in Pack of 10.*

## 19. HAMMER

| Code | Dimension |
|---|---|
| RRS-1901-01 | 72 mm x 50 mm x 13 mm |



## 20. FEET



Provide traction and stability to your equipment.

| Code | Sizes | With / Without Washer |
|---|---|---|
| RRS-2001-01 | Small | With Washer |
| RRS-2001-02 | Medium | With Washer |
| RRS-2001-03 | Small | Without Washer |
| RRS-2001-04 | Medium | Without Washer |
| RRS-2001-05 | large | Without Washer |

**Available in Pack of 100.*

## 21. CORD

Solid Natural Rubber Cords & Silicon cords are available from 3 mm to 25 mm

| Code |
|---|
| RRS-2101-01 |



## 22. VACUUM TUBE

For high presssure application. The walls don’t collapse at high pressure applications. Made of pure natural rubber.



| Code | Size (ID) |
|---|---|
| RRS-2201-01 | 6 mm |
| RRS-2201-01 | 8 mm |


## 23. WASHER FOR BURETTE

Used in burette for fitting purpose.

| Code |
|---|
| RRS-2301-01 |



## 24. TUNING FORK ACTIVATOR



Used as a tuning fork activator. *(Availble in Pack of 10).

| Code | Dimension |
|---|---|
| RRS-2401-01 | 100 mm x 60 mm x 40 mm |


## 25. POLICEMAN

It has a 5 mm bore for rod. *(Availble in Pack of 10).

| Code | Rubber Type |
|---|---|
| RRS-2501-01 | Silicon Rubber |



## 26. SPREADER



It has a 5 mm bore for rod. *(Availble in Pack of 10).

| Code | Rubber Type |
|---|---|
| RRS-2601-01 | Silicon Rubber |

## 27. BELT

These jointless belts are used in Van de Graaff instruments.

| Code | Rubber Type | Size |
|---|---|---|
| RRS-2701-01 | Silicon Rubber | 55” |
| RRS-2701-02 | Silicon Rubber | 65” |



*Availble in Pack of 10

## 28. CORRUGATED RUBBER SHEET



Used in Industrial Shelves, Hospital and Medical Buildings etc.

| Code | Dimensions |
|---|---|
| RRS-2801-01 | 350 x 150 mm |

## 29. SELF ANEMA SYRINGE

A single piece (jointless) anema syringe with in built pumping mechanism.

| Code |
|---|
| RRS-2901-01 |



## 30. ICE BAG



Round Icebag with plastic cap.

| Code | Size |
|---|---|
| RRS-3001-01 | 8” |

## 31. MUKUS SUCKER / EAR SYRINGE BULB

| Code | Size |
|---|---|
| RRS-3101-01 | Small |
| RRS-3101-02 | Medium |
| RRS-3101-03 | Large |



## 32. BREST RELIEVER BULB



| Code | Size |
|---|---|
| RRS-3201-01 | Small |
| RRS-3201-02 | Medium |

## 33. ASCEPTO SYRINGE BULB

| Code | Size |
|---|---|
| RRS-3301-01 | 1 oz |
| RRS-3301-02 | 2 oz |
| RRS-3301-03 | 3 oz |
| RRS-3301-04 | 4 oz |



## 34. BP MONITER BULB



Comes with back valve

| Code | Shape | Colour |
|---|---|---|
| RRS-3401-01 | Erka | Green |
| RRS-3401-02 | Erka | Black |
| RRS-3401-03 | Oval | Green |
| RRS-3401-04 | Oval | Black |

## 35. CHIP SYRINGE BULB

Comes with fitted plastic nozzle.

| Code | Size |
|---|---|
| RRS-3501-01 | 50 ml |
| RRS-3501-02 | 100 ml |



## 36. VAGINAL DOUCHE SPRAY



Complete with plastic nozzle and funnel.

| Code |
|---|
| RRS-3601-01 |

## 37. MULTIPURPOSE RUBBER BULB

Used for inflating Chloroform Bellow, Kelly Pad, stomach Wash Pump.

| Code |
|---|
| RRS-3701-01 |

